


# 2011 Mesa County Health Profile

## Complete List of Colorado Health Indicators

This document is the initial step in completing a Community Health Assessment to determine the current gaps in services and potential areas of improvement in Mesa County. This is a work in progress which includes the complete list of Colorado indicators set forth by [CDPHE](#) with the corresponding statistic for Mesa County and Colorado and where applicable the [Healthy People 2020](#) equivalent. Not all data has been identified as we are continually searching for more sources.



**MESA COUNTY**  
**HEALTH DEPARTMENT**

## Table of Contents

<b>Indicators Where Mesa County Rates Differ From Colorado Rates</b> .....	5
Income.....	5
Employment.....	5
Education .....	5
Social Factors.....	6
Safety .....	6
Physical Activity.....	6
Tobacco use/exposure .....	7
Health Conditions .....	7
Substance Abuse .....	7
Functional Status & Quality of life .....	8
Access to Health Care.....	8
Morbidity.....	9
<b>Community description</b> .....	11
Population.....	11
Gender .....	11
Age .....	11
Race/ethnicity.....	11
School Enrollment.....	11
Linguistic isolation.....	11
Group living quarters.....	11
<b>Economic Opportunity</b> .....	12

MESA COUNTY  
HEALTH DEPARTMENT

Income.....	12
Employment.....	12
Education .....	12
Housing.....	13
<b>Social Factors .....</b>	<b>15</b>
<b>Physical Environment .....</b>	<b>17</b>
Built Environment.....	17
Safety .....	18
Environmental Quality .....	18
<b>Health Behaviors and Conditions .....</b>	<b>20</b>
Nutrition.....	20
Physical Activity.....	20
Tobacco use/exposure .....	21
Skin Cancer.....	22
Injury .....	22
Sexual Health.....	23
Health Conditions .....	23
Mental Health Status .....	25
Substance Abuse .....	25
Functional Status & Quality of life .....	26
<b>Access to Health Care.....</b>	<b>28</b>
<b>Population Health Outcomes .....</b>	<b>31</b>
Quality of Life .....	31

MESA COUNTY  
HEALTH DEPARTMENT

Morbidity..... 31  
Mortality..... 35  
Life Expectancy..... 36  
References ..... 37



# MESA COUNTY HEALTH DEPARTMENT


Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistic for Mesa County	Indicator Statistic for Colorado	Healthy People 2020
<b>INDICATORS WHERE MESA COUNTY RATES DIFFER FROM COLORADO RATES</b>					
<b>Income</b>					
	% with food stamps households with children < 18	US Census Bureau--ACS	<u>2009 = 2,150</u> Per 100,000=1,473	<u>2009 = 73,460</u> Per 100,000=1,462	
	% with food stamps households with adults 60+	US Census Bureau--ACS	<u>2009 = 823</u> Per 100,000=564	<u>2009 = 24,063</u> Per 100,000=479	
	Receipt of food stamp in the past 12 months by poverty status in the past 12 months for households	US Census Bureau--ACS	<u>2009=</u> <u>Below Poverty = 2,010</u> <u>At or Above = 1,435</u>	<u>2009 =</u> <u>Below Poverty = 63,550</u> <u>At or Above = 53,391</u>	
	% eligible for free and reduced school lunch (K-12)	CDE	<u>2010 = 10,085 or 44.4%</u>	<u>2010 = 336,443 or 39.9%</u>	
<b>Employment</b>					
	Unemployment rates (by age and race/ethnicity if possible)	Bureau of Labor Statistics	<u>2010 = 10.6</u>	<u>2010 = 8.9</u>	
<b>Education</b>					
	Educational attainment of adults >25 years old (5 categories)	US Census Bureau--ACS	<u>2009</u> <u>Percent high school or higher 88.5%</u> <u>Percent bachelor's degree or higher 27.3%</u>	<u>2009</u> <u>Percent high school or higher 89.3%</u> <u>Percent bachelor's degree or higher 35.9%</u>	
	High School drop out rates	CDE	<u>2009 = 30%</u>	<u>2009 = 25%</u>	
	High school completion rates	CDE	<u>2009 = 70%</u>	<u>2009 = 75%</u>	

	Percentage of third-grade students proficient or above in reading	CDE	<u>2010 = 67.5%</u>	<u>2010 = 69.6%</u>	
	Percentage of third-grade students proficient or above in math	CDE	<u>2010 = 64.9%</u>	<u>2010 = 70.6%</u>	
	Percentage of eighth-grade students proficient or above in math	CDE	<u>2010 = 49.0%</u>	<u>2010 = 51.0%</u>	
<b>Social Factors</b>					
	Child abuse rates	Colorado Department of Human Services	<u>2009 = 11.2 per 1,000</u>	<u>2009 = 9.1 per 1,000</u>	
<b>Safety</b>					
	Adult and juvenile violent crime rates	CBI	<u>2007 Adult = 142.69</u> <u>2007 Juvenile = 182.05</u>	<u>2007 Adult = 153.13</u> <u>2007 Juvenile = 180.01</u>	Target: 399.6 arrests per 100,000 population aged 10 to 24 years.
	Adult and juvenile property crime rates	CBI	<u>2007 Adult = 482.18</u> <u>2007 Juvenile = 2117.19</u>	<u>2007 Adult = 471.71</u> <u>2007 Juvenile = 1535.02</u>	Target: 1,374.0 arrests per 100,000 population aged 10 to 24 years.
<b>Physical Activity</b>					
	Percent of adults aged 18+ years who get 30+ minutes of moderate activity per day on 5+ days/week or 20+ minutes of vigorous activity per day on 3+ days/week	BRFSS	<u>Year</u> <u>N</u> <u>Percent</u> <u>2009</u> <u>385</u> <u>52%</u>	<u>Year</u> <u>Percent</u> <u>2009</u> <u>57%</u>	Target: 47.9 percent.
	Percent of children aged 5-14 years who were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time for a total of 60+ minutes every day	CHS	<u>Year</u> <u>Percent</u> <u>2009</u> <u>46.2%</u>	<u>Year</u> <u>Percent</u> <u>2009</u> <u>55.5%</u>	No HP 2020 objective

	in the past 7 days			
<b>Tobacco use/exposure</b>				
	Percent of adults aged 18+ years who currently smoke cigarettes	BRFSS	<u>Year</u> <u>Percent</u> <u>2009</u> <b>23%</b>	<u>Year</u> <u>Percent</u> <u>2009</u> 17%
				Target: 12.0 percent.
<b>Health Conditions</b>				
	MCH SPM 6: Percent of live births where mothers gained an appropriate amount of weight during pregnancy according to prepregnancy BMI (birth certificate)	Vital Statistics	<u>2008-2009</u> = <b>19.9%</b>	<u>2009</u> = 32.9%
				No HP 2020 Objective
	Percent of adults aged 18+ years who are obese	BRFSS	<u>Year</u> <u>Percent</u> <u>2009</u> <b>22%</b>	<u>Year</u> <u>Percent</u> <u>2009</u> 20%
				Target: 30.6 percent.
	Percent of adults aged 18+ years who have ever had cholesterol screening who have been told by a health care provider that they had high blood cholesterol	BRFSS	<u>Year</u> <u>Percent</u> <u>2007</u> <b>33.6%</b>	<u>Year</u> <u>Percent</u> <u>2007</u> 33%
				Target: 13.5 percent.
	Percent of adults age 18+ years who have ever been told by a health care provider that they had high blood pressure	BRFSS	<u>Year</u> <u>Percent</u> <u>2008</u> <b>25.3%</b>	<u>Year</u> <u>Percent</u> <u>2008</u> 20.5%
				Target: 94.9 percent. Had their blood pressure measured and can state whether it is normal or high.
	Percentage of women who experienced 1 or more major life stress events 12 months before delivery	PRAMS (Question 40)	<u>2009</u> = <b>16.1%</b>	<u>2009</u> =44.6%
				No HP 2020 Objective
	Percentage of high school students who seriously considered attempting suicide during the 12 months before the survey.	YRBS (state level)	<u>2007</u> = <b>16.1%</b>	<u>2009</u> =13.7%
				Target: 1.7 suicide attempts per 100
<b>Substance Abuse</b>				

	Percentage of high school students who had five or more drinks of alcohol in a row within a couple of hours on at least one day during the 30 days before the survey.	YRBS (state level)	<u>2007 = 31.9%</u>	<u>2009 = 25.1%</u>	Target: 16.5 percent. Reduce substance abuse
	Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol one or more times during the 30 days before the survey.	YRBS (state level)	<u>2007 = 10%</u>	<u>2009 = 7.4%</u>	No HP 2020 Objective
<b>Functional Status &amp; Quality of life</b>					
	Percentage of adults who reported that their general health was fair or poor	BRFSS	<u>2009 = 15.2%</u>	<u>2009 = 12.6%</u>	No HP 2020 Objective
	Average number of days in the past 30 days when their mental health was not good	BRFSS	<u>2009</u> <u>1-7 days = 19%</u> <u>8+ days = 14.1%</u>	<u>2009</u> <u>1-7 days = 22.2%</u> <u>8+ days = 12.1%</u>	No HP 2020 Objective
	Average number of days poor physical or mental health kept them from doing usual activities, such as self-care, work, or recreation (stratify for older adults)	BRFSS	<u>2009 = 26.1%</u>	<u>2007 = 16.7%</u>	No HP 2020 Objective
<b>Access to Health Care</b>					
	Percent of adults aged 18+ years who visited the dentist for any reason within the past year	BRFSS	<u>2008= 61.1%</u>	<u>2008= 67.2%</u>	Target: 49.0 percent. Children, adolescents, and adults.
	Percent of adults who report having had a flu shot in the past 12 months	BRFSS	<u>2008= 72.4</u>	<u>2008=76.7</u>	No HP 2020 objective
	Number/percent of children eligible but not enrolled (EBNE) in Medicaid	CHI analysis of ACS	<u>2009 = 25.8%</u>	<u>2009 = 21.2%</u>	No HP 2020 Objective
	Number/percent of children eligible but not enrolled (EBNE) in CHP+	CHI analysis of ACS	<u>2009 = 25.8%</u>	<u>2009 = 21.2%</u>	No HP 2020 Objective

Morbidity					
Arthritis	Percent of adults aged 18+ with arthritis	BRFSS	2009 = 50%	2009 = 23.8%	Target: 5.0 mean pain level.
Cancer	incidence rate of invasive cancer (all sites combined) among persons of all ages	CCCR	Year N Rate 2007 680 484.3	Year N Rate 2007 19795 402.4	Target: 160.6 deaths per 100,000 population
	incidence rate of cancer of the lung and bronchus among persons of all ages	CCCR	Year N Rate 2007 103 73.4	Year N Rate 2007 2178 44.3	Target: 20.6 deaths per 100,000 females.
	incidence rate of invasive cancer of the cervix among females of all ages	CCCR	Year N Rate 2007 6 4.3	Year N Rate 2007 168 3.4	Target: 14.5 deaths per 100,000 population.
	incidence rate of invasive melanoma among persons of all ages	CCCR	Year N Rate 2007 28 19.9	Year N Rate 2007 960 19.5	Target: 2.4 deaths per 100,000 population.
	incidence rate of invasive cancer of the prostate among males of all ages	CCCR	Year N Rate 2007 134 95.4	Year N Rate 2007 3393 69	Target: 21.2 deaths per 100,000 males.
Diabetes	Percent of adults aged 18+ with diabetes	BRFSS	2009 = 7.9%	2009 = 5.8%	Target: 7.2 new cases per 1,000 population
Heart Disease and Stroke	Percent of adults aged 18+ years who ever had a heart attack	BRFSS	Hospitalizations 2009 = 220	2010 = 3.2% Hospitalizations 2009 = 5744	Target: 75.1 percent. Timely artery opening after heart attack
Communicable Disease	Chlamydia incidence for 15-29 year olds (per 100,000)	DCEED	2007=378.4	2007=350.2	Target: 6.7 percent.
	Pneumococcal disease--prefer to use vaccine coverage rates rather than illness incidence	DCEED if we use incidence; NIS or CDC data if we use vaccine	2009 = 76%	2007 = 76.4%	Target: 90 percent.




**MESA COUNTY**  
**HEALTH DEPARTMENT**

Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistic for Mesa County	Indicator Statistic for Colorado
<b>COMMUNITY DESCRIPTION</b>				
<b>Population</b>				
	Total Number	US Census Bureau--ACS	<a href="#">2010 = 146,723</a>	<a href="#">2010 = 5,021,196</a>
	Population change over time	US Census Bureau--ACS		
<b>Gender</b>				
		US Census Bureau--ACS		
<b>Age</b>				
	We'll decide on the age groups later	US Census Bureau--ACS		
<b>Race/ethnicity</b>				
	5 standard OMB categories	US Census Bureau--ACS		
<b>School Enrollment</b>				
	# and % of population enrolled in school by age group, 3 years old +	US Census Bureau--ACS	<a href="#">2009= 139,579</a> Per 100,000=95,602	<a href="#">2009 = 4,803,801</a> Per 100,000=95,617
<b>Linguistic isolation</b>				
	# and % who don't speak English	US Census Bureau--ACS	<a href="#">2009 = 11.6%</a>	<a href="#">2009 = 16.7%</a>
<b>Group living quarters</b>				
	By type (nursing homes, etc)	??		


Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistic for Mesa County	Indicator Statistic for Colorado
<b>ECONOMIC OPPORTUNITY</b>				
<b>Income</b>				
	% population below federal poverty level	US Census Bureau--SAIPE	<a href="#">2007 = 12%</a>	<a href="#">2007 = 12%</a>
	% children < 18 years old below federal poverty level	US Census Bureau--SAIPE	<a href="#">2009 = 18.1%</a>	<a href="#">2009 = 17%</a>
	Median household income	US Census Bureau--SAIPE	<a href="#">2009 = \$52,290</a>	<a href="#">2009 = \$64,000</a>
	% with food stamps households with children < 18	US Census Bureau--ACS	<a href="#">2009 = 2,150</a> Per 100,000=1,473	<a href="#">2009 = 73,460</a> Per 100,000=1,462
	% with food stamps households with adults 60+	US Census Bureau--ACS	<a href="#">2009 = 823</a> Per 100,000=564	<a href="#">2009 = 24,063</a> Per 100,000=479
	Receipt of food stamp in the past 12 months by poverty status in the past 12 months for households	US Census Bureau--ACS	<a href="#">2009 =</a> <a href="#">Below Poverty = 2,010</a> <a href="#">At or Above = 1,435</a>	<a href="#">2009 =</a> <a href="#">Below Poverty = 63,550</a> <a href="#">At or Above = 53,391</a>
	% eligible for free and reduced school lunch (K-12)	CDE	<a href="#">2010 = 10,085 or 44.4%</a>	<a href="#">2010 = 336,443 or 39.9%</a>
<b>Employment</b>				
	Unemployment rates (by age and race/ethnicity if possible)	Bureau of Labor Statistics	<a href="#">2010 = 10.6</a>	<a href="#">2010 = 8.9</a>
<b>Education</b>				
	Educational attainment of adults >25 years old (5 categories)	US Census Bureau--ACS	<a href="#">2009</a> <a href="#">Percent high school or higher 88.5%</a> <a href="#">Percent bachelor's degree or higher 27.3%</a>	<a href="#">2009</a> <a href="#">Percent high school or higher 89.3%</a> <a href="#">Percent bachelor's degree or higher 35.9%</a>

High School drop out rates	CDE	<a href="#">2009 = 30%</a>	<a href="#">2009 = 25%</a>
High school completion rates	CDE	<a href="#">2009 = 70%</a>	<a href="#">2009 = 75%</a>
Percentage of third-grade students proficient or above in reading	CDE	<a href="#">2010 = 67.6%</a>	<a href="#">2010 = 69.6%</a>
Percentage of third-grade students proficient or above in math	CDE	<a href="#">2010 = 64.9%</a>	<a href="#">2010 = 70.6%</a>
Percentage of eighth-grade students proficient or above in reading	CDE	<a href="#">2010 = 69.3%</a>	<a href="#">2010 = 67.9%</a>
Percentage of eighth-grade students proficient or above in math	CDE	<a href="#">2010 = 49.0%</a>	<a href="#">2010 = 51.0%</a>

## Housing

	<b>Gross rent as a percentage of household income in the past 12 months</b>	US Census Bureau--ACS	<a href="#">2009</a> <a href="#">Less than 10% = 539</a> <a href="#">10.0-14.9% = 1,213</a> <a href="#">15-19.9% = 1,568</a> <a href="#">20-24.9% = 1,630</a> <a href="#">25-29.9% = 2,018</a> <a href="#">30-34.9% = 1,014</a> <a href="#">35-39.9% = 1,073</a> <a href="#">40-49.9% = 1,659</a> <a href="#">50% or more = 2,646</a>	<a href="#">2009</a> <a href="#">Less than 10% = 16,702</a> <a href="#">10.0-14.9% = 43,983</a> <a href="#">15-19.9% = 72,029</a> <a href="#">20-24.9% = 75,662</a> <a href="#">25-29.9% = 72,626</a> <a href="#">30-34.9% = 58,357</a> <a href="#">35-39.9% = 37,965</a> <a href="#">40-49.9% = 55,039</a> <a href="#">50% or more = 159,054</a>
	<b>Mortgage status by selected monthly owner costs as a percentage of household income in the past 12 months</b>	US Census Bureau--ACS	<a href="#">2009</a> <a href="#">Less than 10% = 1,562</a> <a href="#">10.0-14.9% = 3,964</a> <a href="#">15-19.9% = 5,016</a> <a href="#">20-24.9% = 3,911</a> <a href="#">25-29.9% = 4,220</a> <a href="#">30-34.9% = 3,354</a> <a href="#">35-39.9% = 1,495</a> <a href="#">40-49.9% = 2,534</a> <a href="#">50% or more = 3,964</a>	<a href="#">2009</a> <a href="#">Less than 10% = 48,488</a> <a href="#">10.0-14.9% = 108,148</a> <a href="#">15-19.9% = 167,822</a> <a href="#">20-24.9% = 164,458</a> <a href="#">25-29.9% = 132,568</a> <a href="#">30-34.9% = 93,262</a> <a href="#">35-39.9% = 57,285</a> <a href="#">40-49.9% = 72,266</a> <a href="#">50% or more = 123,834</a>
<b>Tenure (including owner-occupied and renter-occupied)</b>	US Census Bureau--ACS	<a href="#">2009</a> <a href="#">Owner Occupied = 42,046</a>	<a href="#">2009</a> <a href="#">Owner Occupied =</a>	

		<a href="#">Renter Occupied = 14,402</a>	<a href="#">1,279,955</a> <a href="#">Renter Occupied = 630,191</a>
Median home value	US Census Bureau--ACS	<a href="#">2009 = \$234,700</a>	<a href="#">2009 = \$237,800</a>



# MESA COUNTY HEALTH DEPARTMENT

Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistic for Mesa County	Indicator Statistic for Colorado
<b>SOCIAL FACTORS</b>				
	Percent of households headed by a single adult	ACS	<a href="#">2006-2008 single father 8%</a> <a href="#">single mother 19%</a>	<a href="#">2006-2008 single father 6%</a> <a href="#">single mother 19%</a>
	Social support in the neighborhood	National Survey of Children's Health <a href="http://www.nschdata.org/StateProfiles/CustomProfile07.aspx?rid=5&amp;geo=Colorado&amp;nationwide">http://www.nschdata.org/StateProfiles/CustomProfile07.aspx?rid=5&amp;geo=Colorado&amp;nationwide</a>	Mesa data not yet found	<a href="#">2007 = 84.3%</a>
	% of adults who volunteered in the past 12 months	BRFSS (starting in 2011)	Mesa data not yet found	Colorado data not yet found
	% of youth and adult users of public library in past 12 months	CO State Library Assn., National Center for Education Statistics	Mesa data not yet found	Colorado data not yet found
	# of religious organizations per county population	Association of Religion Data Archives has county-level data at: <a href="http://www.thearda.com/mapsreports/reports/selectCounty.asp?state=08&amp;county=01001">http://www.thearda.com/mapsreports/reports/selectCounty.asp?state=08&amp;county=01001</a>	<a href="#">2000 = 112</a>	<a href="#">2000 = 3,228</a>
	Gender/racial/ethnic representation in county government offices		Mesa data not yet found	Colorado data not yet found
	% firms owned by minorities		Mesa data not	Colorado data not

		yet found	yet found
% firms owned by women		Mesa data not yet found	Colorado data not yet found
% of registered voters and active registered voters in previous election cycle	Secretary of State	<a href="#">2010 = 98,708</a>	<a href="#">2010= 3,307,772</a>
Per capita spending on public health	U.S. Census and county budget documents, NACCHO profile?	Mesa data not yet found	Colorado data not yet found
% of adults who said they “felt emotionally upset... as a result of how you were treated based on your race/ethnicity, age, gender, income, sexual orientation”	BRFSS (starting in 2011)	Mesa data not yet found	Colorado data not yet found
% of population with access to Internet at home	<a href="http://en-us.nielsen.com/content/nielsen/en_us/product_families/nielsen_netratings.html">http://en-us.nielsen.com/content/nielsen/en_us/product_families/nielsen_netratings.html</a>	Mesa data not yet found	Colorado data not yet found
Child abuse rates	Colorado Department of Human Services	<a href="#">2009 = 11.2 per 1,000</a>	<a href="#">2009 = 9.1 per 1,000</a>
Elder abuse rates	Colorado Department of Human Services	Mesa data not yet found	Colorado data not yet found
Percent of high school students who report being bullied on school property during the past 12 months	YRBS	Mesa data not yet found	Colorado data not yet found

Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistics for Mesa County	Indicator Statistics for Colorado	Healthy People 2020
<b>PHYSICAL ENVIRONMENT</b>					
<b>Built Environment</b>					
Access to recreation	Percent with sidewalks or shoulders of the road in their neighborhood that are sufficient to safely walk, run or bike (smooth surface, wide, clean)	CO BRFS	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
	Percent that have access to <i>public</i> exercise facilities such as walking or running tracks, basketball or tennis courts, swimming pools, sports fields, etc., in their neighborhood	CO BRFS	Mesa data not yet found	Colorado data not yet found	In development
Access to healthy food	Percent of zip codes in a county with a healthy food outlet. Health food outlets are identified by their NAICS code. Those food outlets considered "healthy" include grocery stores with more than four employees (NAICS 445110) and produce stands or farmers' markets (NAICS 445230).	US Census Bureau Business Patterns data	<a href="#">NAICS 445110 = 18</a> <a href="#">NAICS 445230 = 2</a>	<a href="#">NAICS 445110 = 695</a> <a href="#">NAICS 445230 = 13</a>	In development
	Percent who say fresh fruits, vegetables, and other healthful foods (such as whole grain breads or low fat dairy products) are somewhat or very available in neighborhood	CO BRFS	Mesa data not yet found	Colorado data not yet found	In development

	Number of fast food restaurants in county per 1,000 residents	US Census Bureau Business Patterns data	<a href="#">2008 = 0.683556</a>	<a href="#">2008 = 17.513</a>	No HP 2020 Objective
Transportation	Percent that commute by biking, walking, or public transportation (broken out by mode)	US Census	Mesa data not yet found	Colorado data not yet found	Target: 0.6 percent. Trips to work by biking.
	Percent that bike/walk to school among those whose schools are < 1 mile away	CO Child Health Survey	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
<b>Safety</b>					
	Adult and juvenile violent crime rates	CBI	<a href="#">2007 Adult = 142.69</a> <a href="#">2007 Juvenile = 182.05</a>	<a href="#">2007 Adult = 153.13</a> <a href="#">2007 Juvenile = 180.01</a>	Target: 399.6 arrests per 100,000 population aged 10 to 24 years.
	Adult and juvenile property crime rates	CBI	<a href="#">2007 Adult = 482.18</a> <a href="#">2007 Juvenile = 2117.19</a>	<a href="#">2007 Adult = 471.71</a> <a href="#">2007 Juvenile = 1535.02</a>	Target: 1,374.0 arrests per 100,000 population aged 10 to 24 years.
	Percent of parents who feel child is usually or always safe in community/neighborhood	CO Child Health Survey	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
	Number of liquor stores per 10,000 people in a county	US Census Bureau Business Patterns data	<a href="#">Total Establishments in Grand Junction = 45</a>	<a href="#">Total Establishments in Colorado = 1,167</a>	No HP 2020 Objective
<b>Environmental Quality</b>					
Healthy Housing	Number of homes tested for radon	CDPHE-HMWMD	Mesa data not yet found	Colorado data not yet found	Target: 30 percent
	Of homes tested for radon, the percent that were above 4 piC/L	CDPHE-HMWMD	<a href="#">2005-2009 31.96%</a>	Colorado data not yet found	Target: 30 percent

	Number and percent of houses built before 1950 (risk for lead-based paint exposure)	US Census	Mesa data not yet found	Colorado data not yet found	Increase the number of homes built before 1978 that have been tested for lead-based paint.
Water	Percent of residents reporting they are on a private well	BRFSS	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
	Average annual concentration of Arsenic, Nitrates, Disinfection Byproducts (HAA5 and TTHM), Radium 226 & 228, Uranium, Atrazine, DEHP by number and percent of community water systems	CDPHE-WQCD	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
	Rates of potential populations exposed to regulated drinking water contaminant	CDPHE-WQCD	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
	Number of fish advisories posted (mercury)	CDPHE-WQCD	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
	Percent of population who report bottled water as their primary home drinking water source	Water Fluoridation Reporting System (WFRS)	Mesa data not yet found	Colorado data not yet found	No HP 2020 Objective
Outdoor air quality	Average annual PM 2.5 concentration	CDPHE-APCD	<a href="#">No recorded violations 2006 = 7.6</a>	Colorado data not yet found	<b>Target: 10 days</b>
	Number of days PM 2.5 is above standard	CDPHE-APCD	<a href="#">No recorded violations</a>	Colorado data not yet found	<b>Target: 10 days</b>
	Percent of days PM 2.5 is above standard	CDPHE-APCD	<a href="#">No recorded violations</a>	Colorado data not yet found	<b>Target: 10 days</b>
	Number of ozone days above standard	CDPHE-APCD	<a href="#">No recorded violations</a>	Colorado data not yet found	<b>Target: 10 days</b>
	Number of ozone person days above standard	CDPHE-APCD	<a href="#">No recorded violations</a>	Colorado data not yet found	<b>Target: 10 days</b>

Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistics for Mesa County	Indicator Statistics for Colorado	
<b>HEALTH BEHAVIORS AND CONDITIONS</b>					
<b>Nutrition</b>					
	Percent of adults aged 18+ years who reported eating fast food 1 or more times per week	BRFSS	Mesa data not yet found.	Colorado data not yet found	No HP 2020 Objective
	Percent of high school students who ate fruits and vegetables 5 or more times per day	YRBS	<a href="#">All ages in Mesa county 2009= 40.5%</a>	<a href="#">In 2009, 24.4% reported eating fruits and vegetables five or more times per day.</a>	Target: 0.9 cup equivalents per 1,000 calories.
	Percent of children aged 1-14 years who ate fruit 2 or more times per day and vegetables 3 or more times per day	CHS	<a href="#">All Ages in Mesa County 2+ fruits 2009=61.4%</a>	<a href="#">Year N Percent</a> <a href="#">2007 140 8%</a>	Target: 1.1 cup equivalents per 1,000 calories.
	Percent of children aged 1-14 years who ate fast food 1 or more times in the past week	CHS	Mesa data not yet found.	<a href="#">YEAR = 2007</a> <a href="#"># N %</a> <a href="#">1 526 31.4%</a> <a href="#">2 253 13.7%</a> <a href="#">4+ 121 6.5%</a>	No HP 2020 Objective
	Percent of children aged 1-14 years who consumed sugar-sweetened beverages 1 or more times per day	CHS	Mesa data not yet found.	<a href="#">Year N Percent</a> <a href="#">2007 215 11.4%</a>	No HP 2020 Objective
<b>Physical Activity</b>					

Percent of adults aged 18+ years who get 30+ minutes of moderate activity per day on 5+ days/week or 20+ minutes of vigorous activity per day on 3+ days/week	BRFSS	<u>Year</u> <u>N</u> <u>Percent</u> 2009 385 52%	<u>Year</u> <u>Percent</u> 2009 57%	Target: 47.9 percent.
Percent of adults aged 18+ years who are physically inactive	BRFSS	<u>Year</u> <u>Percent</u> 2009 18%	<u>Year</u> <u>Percent</u> 2009 18%	Target: 32.6 percent.
Percent of high school students who were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time for a total of 60+ minutes every day in the past 7 days	YRBS	Mesa data not yet found.	<u>Year</u> <u>Percent</u> 2007 44.3%	Target: 20.2 percent who meet the Federal physical activity recommendation.
Percent of children aged 5-14 years who were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time for a total of 60+ minutes every day in the past 7 days	CHS	<u>Year</u> <u>Percent</u> 2009 46.2%	<u>Year</u> <u>Percent</u> 2009 55.5%	No HP 2020 objective
Percent of children aged 1-14 years who watch TV or videos, play video games, or play on a computer for 2 hours/day or less	CHS	<u>Year</u> <u>Percent</u> 2009 80.7%	<u>Year</u> <u>Percent</u> 2009 82.1%	Target: 83.2 percent.
<b>Tobacco use/exposure</b>				
Percent of adults aged 18+ years who currently smoke cigarettes	BRFSS	<u>Year</u> <u>Percent</u> 2009 23%	<u>Year</u> <u>Percent</u> 2009 17%	Target: 12.0 percent.
Percent of high school students who currently use cigarettes	YRBS	<u>Year</u> <u>Percent</u> 2009 6.1%	<u>Year</u> <u>Percent</u> 2009 10.6%	Target: 21.0 percent.

	Percent of children aged 1-14 years who rode in a car with someone who was smoking in the past 7 days	CHS	Mesa data not yet found.	<table border="1"> <thead> <tr> <th>Year</th> <th>Days</th> <th>N</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>2007</td> <td>1</td> <td>30</td> <td>1.8%</td> </tr> <tr> <td>2007</td> <td>2</td> <td>26</td> <td>1.7%</td> </tr> <tr> <td>2007</td> <td>3</td> <td>17</td> <td>.9%</td> </tr> <tr> <td>2007</td> <td>4</td> <td>3</td> <td>.1%</td> </tr> <tr> <td>2007</td> <td>5</td> <td>10</td> <td>.4%</td> </tr> <tr> <td>2007</td> <td>7</td> <td>15</td> <td>1.0%</td> </tr> </tbody> </table>	Year	Days	N	Percent	2007	1	30	1.8%	2007	2	26	1.7%	2007	3	17	.9%	2007	4	3	.1%	2007	5	10	.4%	2007	7	15	1.0%	Target: 74.0 percent. Exposed to second hand smoke.
Year	Days	N	Percent																														
2007	1	30	1.8%																														
2007	2	26	1.7%																														
2007	3	17	.9%																														
2007	4	3	.1%																														
2007	5	10	.4%																														
2007	7	15	1.0%																														
	Percent of children aged 1-14 years who live in homes where someone had smoked in the past 7 days	CHS	Mesa data not yet found.	<table border="1"> <thead> <tr> <th>Year</th> <th>Days</th> <th>N</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>2007</td> <td>1</td> <td>8</td> <td>.5%</td> </tr> <tr> <td>2007</td> <td>2</td> <td>9</td> <td>.6%</td> </tr> <tr> <td>2007</td> <td>3</td> <td>5</td> <td>.4%</td> </tr> <tr> <td>2007</td> <td>4</td> <td>3</td> <td>.2%</td> </tr> <tr> <td>2007</td> <td>5</td> <td>2</td> <td>.1%</td> </tr> <tr> <td>2007</td> <td>7</td> <td>63</td> <td>3.9%</td> </tr> </tbody> </table>	Year	Days	N	Percent	2007	1	8	.5%	2007	2	9	.6%	2007	3	5	.4%	2007	4	3	.2%	2007	5	2	.1%	2007	7	63	3.9%	Smoke Free Homes Target: 87.0 percent.
Year	Days	N	Percent																														
2007	1	8	.5%																														
2007	2	9	.6%																														
2007	3	5	.4%																														
2007	4	3	.2%																														
2007	5	2	.1%																														
2007	7	63	3.9%																														
	Percent of women who smoked during the last three months of pregnancy	PRAMS	<table border="1"> <thead> <tr> <th>Year</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>2009</td> <td>20%</td> </tr> </tbody> </table>	Year	Percent	2009	20%	<table border="1"> <thead> <tr> <th>Year</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>2009</td> <td>23.2%</td> </tr> </tbody> </table>	Year	Percent	2009	23.2%	Target: 30.0 percent.																				
Year	Percent																																
2009	20%																																
Year	Percent																																
2009	23.2%																																
<b>Skin Cancer</b>																																	
	Percent of adults aged 18+ years who always/nearly always use a method of sun protection when outside	BRFSS	Mesa data not yet found.	Colorado data not yet found	Target: 80.1 percent.																												
	Percent of children aged 1-14 years who always/nearly always use a method of sun protection when outside for more than 15 minutes between 11 am and 3 pm on a sunny summer day	CHS	Mesa data not yet found.	<table border="1"> <thead> <tr> <th>Year</th> <th>N</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>2007</td> <td>469</td> <td>33.7%</td> </tr> </tbody> </table>	Year	N	Percent	2007	469	33.7%	No HP 2020 Objective for this age group. Target: 79.6 percent. Sun safety.																						
Year	N	Percent																															
2007	469	33.7%																															
<b>Injury</b>																																	
	Percent of adults aged 65+ years who reported having had a fall in the past 3 months	BRFSS	2009 N = 351	2009 = 20.17%	Target: 7.0 deaths per 100,000. Fall related death																												

	Percent of adults aged 18+ years who reported having always used a seat belt when driving or riding in a car	BRFSS	2008= <b>73.8%</b>	2008= 82.2%	Target: 92.4 percent.
	Percent of high school students who reported driving a car or other vehicle when they had been drinking alcohol	YRBS	2007 = <b>10%</b>	2009 = 7.4%	Target: 0.38 deaths per 100 million vehicle miles traveled.
	Percent of children aged 1-14 years for whom it was reported having used the age-appropriate mode of restraint when riding in a vehicle	CHS	Mesa data not yet found.	Colorado data not yet found	Target: 79 percent. Age 1-3 Target: 47 percent. Age 4-7 Target: 86 percent. Age 8-12
<b>Sexual Health</b>					
	MCH SPM 1: Percent of sexually active women and men ages 18-44 using an effective method of birth control to prevent pregnancy	BRFSS	Mesa data not yet found.	Colorado data not yet found	Target: 55.6 percent
	MCH SPM 8: Percent of sexually active high school students using an effective method of birth control to prevent pregnancy	YRBS	Mesa data not yet found.	2009=33.1%	Target: 73.6 percent
	Percent of high school students who have ever had sexual intercourse	YRBS	Mesa data not yet found.	2009=40%	Target: 79.3 percent
	Fertility rates of teens ages 15-17	Vital Statistics	2007-2009 = 23.6	2007-2009 = 21.2	No HP 2020 objective
<b>Health Conditions</b>					
	MCH SPM 2: Percent of live births to mothers who were overweight or obese based on BMI before pregnancy (birth certificate)	Vital Statistics	Mesa data not yet found.	Colorado data not yet found	No HP 2020 Objective

	MCH SPM 6: Percent of live births where mothers gained an appropriate amount of weight during pregnancy according to prepregnancy BMI (birth certificate)	Vital Statistics	2008-2009= <b>19.9%</b>	2009 = 32.9%	No HP 2020 Objective
	Percent of adults aged 18+ years who are obese	BRFSS	<u>Year</u> <u>Percent</u> 2009 <b>22%</b>	<u>Year</u> <u>Percent</u> 2009 20%	Target: 30.6 percent.
	Percent of adults aged 18+ years who are overweight or obese	BRFSS	<u>Year</u> <u>Percent</u> 2009 35%	<u>Year</u> <u>Percent</u> 2009 <b>36.2%</b>	Target: 30.6 percent.
	Percent of children aged 2-14 years who are obese	CHS	<u>Year</u> <u>Percent</u> 2009 13%	<u>Year</u> <u>Percent</u> 2009 <b>14%</b>	Target: 9.6 percent
	Percent of children aged 2-14 years who are overweight or obese	CHS	<u>Year</u> <u>Percent</u> 2007 7%	<u>Year</u> <u>Percent</u> 2007 <b>12.8%</b>	Target: 9.6 percent.
	Percent of children aged 2-14 years who are underweight	CHS	Mesa data not yet found.	<u>Year</u> <u>N</u> <u>Percent</u> 2007 156 10.7%	No HP 2020 Objective
	Percent of high school students who are obese	YRBS	Mesa data not yet found.	<u>Year</u> <u>Percent</u> 2007 9.1%	Target: 16.1 percent.
	Percent of high school students who are overweight or obese	YRBS	Mesa data not yet found.	<u>Year</u> <u>Percent</u> 2007 11.7%	Target: 16.1 percent.
	Percent of adults aged 18+ years who have ever had cholesterol screening who have been told by a health care provider that they had high blood cholesterol	BRFSS	<u>Year</u> <u>Percent</u> 2007 <b>33.6%</b>	<u>Year</u> <u>Percent</u> 2007 33%	Target: 13.5 percent.
	Percent of adults age 18+ years who have ever been told by a health care provider that they had high blood pressure	BRFSS	<u>Year</u> <u>Percent</u> 2008 <b>25.3%</b>	<u>Year</u> <u>Percent</u> 2008 20.5%	Target: 94.9 percent. Had their blood pressure measured and can state whether it is normal or high.
	Percent of 3rd grade children with caries experience (untreated decay + fillings)	Basic Screening Survey, Oral	<u>2006-2007 School Year</u> 21.2%	<u>2006-2007 School Year</u> <b>24.5%</b>	Target: 49.0 percent.

health  
program  
CDPHE

**Mental Health Status**

Percentage of women who often or always felt down, depressed, sad or hopeless since the new baby was born	PRAMS (Question 64)	Mesa data not yet found.	<a href="#">2009=12.3%</a>	No HP 2020 Objective
Percentage of women who experienced 1 or more major life stress events 12 months before delivery	PRAMS (Question 40)	<a href="#">2009=46.1%</a>	<a href="#">2009=44.6%</a>	No HP 2020 Objective
Percentage of high school students who felt sad or hopeless almost every day for 2 or more weeks in a row so that they stopped doing some usual activities.	YRBS (state level)	<a href="#">2007 = 11.3%</a>	<a href="#">2009=25.4%</a>	No HP 2020 Objective
Percentage of high school students who seriously considered attempting suicide during the 12 months before the survey.	YRBS (state level)	<a href="#">2007 = 16.1%</a>	<a href="#">2009=13.7%</a>	Target: 1.7 suicide attempts per 100
Mental health diagnosed hospitalizations (rate per 100,000)	CHA (county level)	Mesa data not yet found.	Colorado data not yet found	Target: 64.6 percent.
Suicide hospitalizations (rate per 100,000)	CHA (county level)	Mesa data not yet found.	Colorado data not yet found	Target: 10.2 suicides per 100,000
Percentage parents who reported mental or behavioral problems in children age 1-14	Colorado Child Health Survey	Mesa data not yet found.	<a href="#">2009=6.9%</a>	No HP 2020 Objective

**Substance Abuse**

Percentage of women who had 4 alcoholic drinks or more in one sitting during the three months before they got pregnant.	PRAMS (Question 38b)	<a href="#">2009 = 9.4%</a>	<a href="#">2009 = 12.3%</a>	No HP 2020 Objective
Percentage of women who drank alcohol during the last 3 months of pregnancy	PRAMS (Question 39a)	<a href="#">2009 = 9.8%</a>	<a href="#">2009 = 10.5%</a>	No HP 2020 Objective
Percentage of high school students who had five or more drinks of alcohol in a row within a couple of hours on at least one day during the 30 days before the survey.	YRBS (state level)	<a href="#">2007 = 51.9%</a>	<a href="#">2009 = 25.1%</a>	Target: 16.5 percent. Reduce substance abuse
Percentage of high school students who used marijuana one or more times during the 30 days before the survey.	YRBS (state level)	<a href="#">2007 = 20%</a>	<a href="#">2009 = 24.8%</a>	Target: 6.0 percent.
Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol one or more times during the 30 days before the survey.	YRBS (state level)	<a href="#">2007 = 10%</a>	<a href="#">2009 = 7.4%</a>	No HP 2020 Objective
Percentage of adults who reported binge drinking (males 5+/females 4+ drinks on one occasion) in past 30 days	BRFSS	<a href="#">2008 = 15.5%</a>	<a href="#">2008 = 16.7%</a>	Target: 22.7 percent
<b>Functional Status &amp; Quality of life</b>				
Percentage of students who had a caring adult in their life	CSHPS (Items 38 & 39)	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Percentage of adults who reported that their general health was fair or poor	BRFSS	<a href="#">2009 = 15.2%</a>	<a href="#">2009 = 12.6%</a>	No HP 2020 Objective

Average number of days in the past 30 days when their physical health was not good	BRFSS	<a href="#">2009</a> <a href="#">1-7 days = 18.9%</a> <a href="#">8+ days = 12.3%</a>	<a href="#">2009</a> <a href="#">1-7 days = 18.9%</a> <a href="#">8+ days = 12.3%</a>	No HP 2020 Objective
Average number of days in the past 30 days when their mental health was not good	BRFSS	<a href="#">2009</a> <a href="#">1-7 days = 19%</a> <a href="#">8+ days = 14.1%</a>	<a href="#">2009</a> <a href="#">1-7 days = 22.2%</a> <a href="#">8+ days = 12.1%</a>	No HP 2020 Objective
Percent of adults who usually or always get the emotional or social support they need	BRFSS	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Percentage of adults who are very satisfied or satisfied with their life in general	BRFSS	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Percentage of parents of children ages 1-14 who reported that their child's general health was fair or poor	CHS	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Average number of days poor physical or mental health kept them from doing usual activities, such as self-care, work, or recreation (stratify for older adults)	BRFSS	<a href="#">2009 = 26.1%</a>	<a href="#">2007 = 16.7%</a>	No HP 2020 Objective

Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistics for Mesa County	Indicator Statistics for Colorado	Healthy People 2020
<b>ACCESS TO HEALTH CARE</b>					
	Percentage of mothers reporting that a doctor, nurse or other health care worker talked with them about what to do if they felt depressed during pregnancy or after delivery	PRAMS	Mesa data not yet found.	<a href="#">2009=72.6%</a>	Increase the proportion of women who attend a visit with health care worker.
	Percent of adults aged 18+ years with children aged 1-14 years who have had fluoride applied to child's teeth	APCD	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
	Percent of women who gave birth who last had teeth cleaned within the past 12 months	PRAMS	<a href="#">2009= 53.9%</a>	<a href="#">2009= 53.4%</a>	No HP 2020 Objective
	Percent of children aged 1-14 years who saw a dentist for preventive care at least once in the past 12 months	APCD	Mesa data not yet found.	Colorado data not yet found.	Target: 49.0 percent. Children, adolescents, and adults.
	Percent of adults aged 18+ years who visited the dentist for any reason within the past year	BRFSS	<a href="#">2008= 61.1%</a>	<a href="#">2008= 67.2%</a>	Target: 49.0 percent. Children, adolescents, and adults.
	Percent of adults who report having had a flu shot in the past 12 months	BRFSS	<a href="#">2008= 72.4</a>	<a href="#">2008=76.7</a>	No HP 2020 objective
	Percent of adults who report having ever had a pneumonia shot	BRFSS	<a href="#">2008=78.2</a>	<a href="#">2008= 72.6</a>	No HP 2020 Objective
	Percent of children up to date with immunizations	NIS--state level data only	Mesa data not yet found.	<a href="#">2005-2006=80.4%</a>	Target: 95 percent In Kindergarden

Percent of adults aged 18+ years who have had cholesterol screening in past 5 years	BRFSS	2008 = 75.5%	2008 = 74.6%	Target: 82.1 percent.
percent of females aged 40+ who report having had last mammogram w/in 2 years	BRFSS	<u>Year</u> <u>N</u> <u>Percent</u> 2008 411 72%	<u>Year</u> <u>N</u> <u>Percent</u> 2008 411 72%	Target: 81.1 percent.
percent of females aged 18+ who report having had last Papanicolaou smear w/in 3 years	BRFSS	<u>Year</u> <u>Percent</u> 2008 84%	<u>Year</u> <u>Percent</u> 2008 84%	Target: 93.0 percent.
Percent of adults age 50+ who had colonoscopy within 10 years OR sigmoidoscopy within the 5 years OR FOBT within the 1 year	BRFSS	<u>Year</u> <u>Percent</u> 2008 63%	<u>Year</u> <u>Percent</u> 2008 52%	Target: 70.5 percent.
Percentage of women who received adequate prenatal care	Vital Statistics	2009=81.5	2009=78.0%	Target: 77.9 percent
Inpatient admissions for unnecessary conditions (AHRQ PQI - Overall)	APCD	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Acute care hospitalization (risk-adjusted)	APCD	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Office visit rate	APCD	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
30-day Readmission: Inpatient	CHA	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Hospital Readmission Rate within 30 Days		Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Number/percent of children eligible but not enrolled (EBNE) in Medicaid	CHI analysis of ACS			No HP 2020 Objective
Number/percent of children eligible but not enrolled (EBNE) in CHP+	CHI analysis of ACS	2009 = 25.8%	2009 = 21.2%	No HP 2020 Objective

Number/percent of working-age adults (19-64) eligible but not enrolled (EBNE) in Medicaid	CHI analysis of ACS	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Number of uninsured by age	CHI analysis of ACS	<a href="#">2007 0-18 = 4474 or 13%</a>	<a href="#">2007 0-18 = 161,491 or 13%</a>	Target: 100 percent
Number of safety net clinics, hospitals, critical access hospitals, etc per county	CHI analysis of ACS	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Number of licensed active health professionals (MD/Dos, RNs, dentists, etc). Note: We could calculate clinician to population ratios using population data from the state demography office if we wanted. Note that we do not know from license info if the clinician practices or resides in the particular county.	Workforce licensure data	Mesa data not yet found.	Colorado data not yet found.	Increase the number of health care professionals
Percentage of adults who report having one or more regular health care providers (medical home)	BRFSS	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Percentage of children ages 1-14 with a medical home	CHS	Mesa data not yet found.	<a href="#">2007 = 59.3%</a>	Target: 63.3 percent.
Pediatric Quality Indicators: PDI 14 Asthma Admission Rate; PDI 15 Diabetes Short-term Complications Admission Rate; PDI 16 Gastroenteritis Admission Rate; PDI 17 Perforated Appendix Admission Rate; PDI 18 Urinary Tract Infection Admission Rate	APCD (see AHQR)	Mesa data not yet found.	Colorado data not yet found.	Target: 18.1 hospitalizations per 10,000.

Domain (& sub domains)	Indicator	Source of Indicator	Indicator Statistics for Mesa County	Indicator Statistics for Colorado	Healthy People 2020
<b>POPULATION HEALTH OUTCOMES</b>					
<b>Quality of Life</b>					
	Percentage of adults who reported that their general health was fair or poor	BRFSS (currently in mental health)	Mesa data not yet found.	<a href="#">2008 =Fair 10.1%</a> <a href="#">Poor 3.2%</a>	No HP 2020 Objective
	Average number of days in the past 30 days when their physical health was not good	BRFSS (currently in mental health)	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
	Average number of days in the past 30 days when their mental health was not good	BRFSS (currently in mental health)	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
	Percentage of adults who are very dissatisfied or dissatisfied with their life in general	BRFSS (currently in mental health)	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
	Percentage of parents of children ages 1-14 who reported that their child's general health was fair	CHS (currently in mental health)	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
	Average number of days poor physical or mental health kept them from doing usual activities, such as self-care, work, or recreation (stratify for older adults)	BRFSS (currently in mental health)	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
<b>Morbidity</b>					
Arthritis	Percent of adults aged 18+ with arthritis	BRFSS	<a href="#">2009 = 50%</a>	<a href="#">2009 = 23.8%</a>	Target: 5.0 mean pain level.
Asthma	Current asthma - adults	BRFSS	<a href="#">2008 = 11.8%</a>	<a href="#">2008 = 13%</a>	<b>Target: 6.0 deaths per million</b>
	Current asthma - adolescents	YRBS	<a href="#">2007 = 10%</a>	<a href="#">2009 = 13.6%</a>	<b>Target: Not applicable.</b>


	Current asthma - child	CHS	2009 = 9.3%	2009 = 12.4%	Target: Not applicable.
Cancer	incidence rate of invasive cancer (all sites combined) among persons of all ages	CCCR	Year N Rate 2007 680 484.3	Year N Rate 2007 19795 402.4	Target: 160.6 deaths per 100,000 population
	incidence rate of cancer of the lung and bronchus among persons of all ages	CCCR	Year N Rate 2007 103 73.4	Year N Rate 2007 2178 44.3	Target: 20.6 deaths per 100,000 females.
	incidence rate of invasive cancer of the female breast among females of all ages	CCCR	Year N Rate 2007 87 62.0	Year N Rate 2007 3092 62.3	Target: 2.2 deaths per 100,000 females.
	incidence rate of invasive cancer of the cervix among females of all ages	CCCR	Year N Rate 2007 6 4.3	Year N Rate 2007 168 3.4	Target: 14.5 deaths per 100,000 population.
	incidence rate of cancer of the colon and rectum among persons of all ages	CCCR	Year N Rate 2007 57 32	Year N Rate 2007 1789 36.4	Target: 45.5 deaths per 100,000 population.
	incidence rate of invasive melanoma among persons of all ages	CCCR	Year N Rate 2007 28 19.9	Year N Rate 2007 960 19.5	Target: 2.4 deaths per 100,000 population.
	incidence rate of invasive cancer of the prostate among males of all ages	CCCR	Year N Rate 2007 134 95.4	Year N Rate 2007 3393 69	Target: 21.2 deaths per 100,000 males.
Diabetes	Percent of adults aged 18+ with diabetes	BRFSS	2009 = 7.9%	2009 = 5.8%	Target: 7.2 new cases per 1,000 population
	Percent of women who had gestational diabetes (diabetes that started during pregnancy)	PRAMS	Mesa data not yet found.	2009 = 7.7%	No HP 2020 Objective
Heart Disease and Stroke	Age-adjusted hospital discharge rate due to stroke	Hospital Discharge	Mesa data not yet found.	Colorado data not yet found.	Target: 8.8 hospitalizations per 1,000 population.
	Age-adjusted hospital discharge rate due to diseases of the heart	Hospital Discharge	Mesa data not yet found.	Colorado data not yet found.	Target: 8.8 hospitalizations per 1,000 population.
	Age-adjusted hospital discharge rate due to acute myocardial infarction	Hospital Discharge	Mesa data not yet found.	2007 = 2,931	Target: 8.8 hospitalizations per 1,000 population.

	Age-adjusted hospital discharge rate due to congestive heart failure Hospital Discharge	Mesa data not yet found.	Colorado data not yet found.	Target: 8.8 hospitalizations per 1,000 population.
	Percent of adults aged 18+ years who ever had a heart attack BRFSS	<a href="#">Hospitalizations 2009 = 226</a>	<a href="#">2010 = 3.2% Hospitalizations 2009 = 5744</a>	Target: 75.1 percent. Timely artery opening after heart attack
	Percent of adults aged 18+ years who ever had angina or coronary heart disease BRFSS	Mortality = 172.5	<a href="#">2010 = 3.1%</a>	Target: 100.8 deaths per 100,000 population
Oral Health	Percent of adults aged 18+ years who never lost any teeth due to decay or periodontal disease BRFSS	<a href="#">2009 = 42%</a>	Colorado data not yet found.	Target: 68.8 percent.
	Percent of 3rd grade children with untreated caries BSS	<a href="#">2006-2007 School Year 21.2%</a>	<a href="#">2006-2007 School Year 24.5%</a>	Target: 49.0 percent.
	Percent of children aged 1-14 years with fair or poor condition of teeth CHS	Mesa data not yet found.	<a href="#">2009 Percent Fair 7.8% Poor 1.3%</a>	No HP 2020 Objective
Communicable Disease	Tuberculosis cases and incidence (per 100,000) DCEED	<a href="#">2009=1</a>	<a href="#">2009=85</a>	Target: 1.0 new case per 100,000 population.
	AID incidence (per 100,000) DCEED	<a href="#">2009=3.7</a>	<a href="#">2009=7.7</a>	Target: 13.0 new cases per 100,000 population.
	HIV incidence (per 100,000) DCEED	<a href="#">2009=3.4</a>	<a href="#">2009=7.3</a>	Target: 3.5 new infections per 100 persons living with HIV.
	Chlamydia incidence for 15-29 year olds (per 100,000) DCEED	<a href="#">2007=378.4</a>	<a href="#">2007=350.2</a>	Target: 6.7 percent.
	Gonorrhea incidence for 15-29 year olds (per 100,000) DCEED	<a href="#">2007=64.4</a>	<a href="#">2007=3396</a>	Target: 257 new cases per 100,000 population.

Influenza hospitalizations age 65+ (per 100,000; use 2008-2009 influenza season data so capturing a non-pandemic season)	DCEED	<a href="#">2009 = 52</a>	<a href="#">2009 = 1638</a>	Target: 90 percent.
Pertussis incidence (prefer to use vaccine coverage rates rather than illness incidence)	DCEED if we use incidence; NIS or CDC data if we use vaccine coverage	<a href="#">2009=2</a>	<a href="#">2009=209</a>	Target: 2,500 cases.
Hepatitis A incidence (per 100,000)	DCEED	<a href="#">2009 = 0</a>	<a href="#">2009 = 53</a>	Target: 0.3 cases per 100,000 population.
Hepatitis B incidence (acute and chronic case rates)	DCEED	<a href="#">2009 acute = 1 chronic = 11</a>	<a href="#">2009 acute = 35 chronic = 590</a>	Target: 400 cases.
Campylobacter incidence (per 100,000)	DCEED	<a href="#">2009=19</a>	<a href="#">2009=156</a>	Target: 8.5 cases per 100,000.
STEC (shiga toxin producing E.coli) incidence (per 100,000)	DCEED	<a href="#">2009=4</a>	<a href="#">2009=168</a>	Target: 0.6 cases per 100,000.
Salmonella incidence (per 100,000)	DCEED	<a href="#">2009=24</a>	<a href="#">2009=622</a>	Target: 11.4 cases per 100,000.
Shigella incidence (per 100,000)	DCEED	<a href="#">2009=3</a>	<a href="#">2009=103</a>	No HP 2020 Objective
West Nile Virus incidence (per 100,000)	DCEED	<a href="#">2009=0</a>	<a href="#">2009=0</a>	No HP 2020 Objective
Number of reported outbreaks of foodborne illness	DCEED	<a href="#">2009=.1 - .5 per 100,000</a>	<a href="#">2009=55 reported cases</a>	In Development
Pneumococcal disease--prefer to use vaccine coverage rates rather than illness incidence	DCEED if we use incidence; NIS or CDC data if we use vaccine coverage, or BRFSS for 65+ pneumococcal vaccine coverage	<a href="#">2009 = 76%</a>	<a href="#">2007 = 76.4%</a>	Target: 90 percent.

Occupational Health	Non-fatal Lost-time Workers' Compensation Claims by County (count of claims & percent of employed filing claims)	Dept of Labor & Employment (DOLE)	Mesa data not yet found.	Colorado data not yet found.	Target: 3.8 injuries per 100 full-time equivalent workers.
	Work-Related hospitalizations (all) (count & rate)	Colorado Hospital Association (CHA) Discharge Data	Mesa data not yet found.	Colorado data not yet found.	Target: 2.2 injuries per 100 full-time equivalent workers. Trips to ER
Birth Defects	Major congenital anomalies (rate per 10,000 live births)	DCEED - CRCSN	<a href="#">2008=7</a>	<a href="#">2008=255</a>	Target: 0.34 infant deaths per 1,000 live births.
Injury	Motor vehicle hospitalization rate	Colorado Hospital Association (CHA) Discharge Data	<a href="#">2009 N = 281</a>	<a href="#">2009 N = 7,548</a>	Target: 694.4 nonfatal injuries per 100,000
<b>Mortality</b>					
Infants	Infant mortality rate	Vital Statistics, CDPHE	<a href="#">2009=4.8%</a>	<a href="#">2009=6.1%</a>	Target: 6.0 infant deaths per 1,000 live births.
All	Years of potential life lost (YPLL) by age 65	Vital Statistics, CDPHE	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
All	Age-adjusted ten leading causes of death	Vital Statistics, CDPHE	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
All	Age-adjusted ten leading causes of YPLL	Vital Statistics, CDPHE	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
Workers	Fatal Work-Related injuries (count & rate)	Census of Fatal Occupational Injuries (CFOI) NOTE: small numbers probably prohibit county level data	Mesa data not yet found.	Colorado data not yet found.	Target setting method: 10 percent improvement

Life Expectancy					
All	State-wide by gender and race/ethnicity (5 years combined data)	Vital Statistics, CDPHE	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective
	Indication of statistical difference from the state by county (e.g., X county has a statistically higher life expectancy than the state)	Vital Statistics, CDPHE	Mesa data not yet found.	Colorado data not yet found.	No HP 2020 Objective



**MESA COUNTY**  
**HEALTH DEPARTMENT**

## REFERENCES

*2007 Mesa County Adolescent Health Survey.* (2007). Retrieved May 2011, from [http://health.mesacounty.us/healthpromotion/pdf/YRBS/2007\\_YRBS\\_Comprehensive\\_Report%20FINAL.pdf](http://health.mesacounty.us/healthpromotion/pdf/YRBS/2007_YRBS_Comprehensive_Report%20FINAL.pdf)

*2009 PRC Health and Quality of Life Survey.* (2008). Retrieved May 2011, from <http://www.mesahealth.org/httpdocs/pdfs/2009-CommunityHealthReport.pdf>

*2009 Youth Risk Behavior Survey Results.* (2009). Retrieved May 2011, from <http://www.cdphe.state.co.us/hs/yrbs/2009COH%20Detail%20Tables.pdf>

*2010 Census Data.* (2011). Retrieved June 3, 2011, from <http://2010.census.gov/2010census/data/>

*Association of Religion Data Archives.* (2000). Retrieved June 3, 2011, from [http://www.thearda.com/mapsReports/reports/counties/08077\\_2000.asp](http://www.thearda.com/mapsReports/reports/counties/08077_2000.asp)

*Center for Disease Control and Prevention BRFSS.* (2008). Retrieved June 3, 2011, from <http://apps.nccd.cdc.gov/brfss/display.asp?cat=HS&yr=2008&qkey=1100&state=CO>

*Center for Disease Control and Prevention YRBS.* (2009). Retrieved May 2011, from <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx>

*Colorado 2005-2006 School Immunization Survey.* (2006). Retrieved May 2011, from <http://www.cdphe.state.co.us/dc/Immunization/Survey6.pdf>

*Colorado Department of Public Health and Environment 2007 Child Health Survey.* (2007). Retrieved May 2011, from <http://www.cdphe.state.co.us/hs/yrbs/chs2007PUB.pdf>

*The Colorado Department of Public Health and Environment Disease Control and Environmental Epidemiology Sexually Transmitted Infection/Human Immunodeficiency Virus Surveillance Program.* (2007). Retrieved May 2011, from [http://www.cdphe.state.co.us/dc/hivandstd/HIV\\_STDSurv/07SurvReport.pdf](http://www.cdphe.state.co.us/dc/hivandstd/HIV_STDSurv/07SurvReport.pdf)

*Colorado Health Data: Regional Health Profiles.* (2010). Retrieved May 2011, from <http://www.chd.dphe.state.co.us/CHDReporting.aspx?region=Region19&pop=1&pn=1&ch=1&ah=1&adh=1&ci=1&cd=1&mor=1>

*Colorado Health Information Dataset.* Retrieved May 2011, from <http://www.cdphe.state.co.us/scripts/htmsql.exe/cohid/brfssfrm1.hsrl>

*Colorado PRAMS Prevalence Estimates 2009.* (2009). Retrieved May 2011, from <http://www.cdphe.state.co.us/hs/mchdata/all2009CO.pdf>

*Colorado Regional Health Profile.* (2008). Retrieved May 2011, from <http://www.healthy-baby.org/stats/regionalprofile.asp?region=39>

*Colorado Reported Cases.* (2011). Retrieved May 2011, from [http://www.cdphe.state.co.us/dc/CODiseaseStatistics/Statistics\\_09/Diag\\_County\\_2009.pdf](http://www.cdphe.state.co.us/dc/CODiseaseStatistics/Statistics_09/Diag_County_2009.pdf)

*Food Environment Atlas.* Retrieved May 2011, from <http://maps.ers.usda.gov/FoodAtlas/>

*Healthy People 2020.* Retrieved May 2011, from <http://www.healthypeople.gov/2020/topicsobjectives2020/pdfs/HP2020objectives.pdf>

*Hospital Charges and Average Length of Stay.* (2009). Retrieved June 9, 2011, from <http://www.cha.com/2009Chargesnp.pdf>

*Mesa County Comparison with State and National Trends.* (2007). Retrieved May 2011, from <http://www.health.mesacounty.us/healthpromotion/pdf/YRBS/YRBS%20Comparisons%20With%20State%20and%20National.pdf>

*Mesa County Health and Wellbeing.* (2007). Retrieved May 2011, from <http://www.health.mesacounty.us/healthpromotion/pdf/YRBS/Health%20and%20Well%20Being.pdf>

*Mesa County Maternal Child Health Dataset 2009.* (2009). Retrieved May 2011, from <http://www.cdphe.state.co.us/ps/mch/mchadmin/mchdatasets2009/profiles/Mesa.pdf>

*Mesa County Maternal Child Health Dataset 2010.* (2010). Retrieved May 2011, from <http://www.cdphe.state.co.us/ps/mch/mchadmin/mchdatasets2010/profiles/mesa.pdf>

*Mesa County Youth Risk Behavior Survey.* (2007). Retrieved May 2011, from <http://www.health.mesacounty.us/healthpromotion/pdf/YRBS/Risky%20Behavior.pdf>

*National Environmental Public Health Tracking Network.* (2010). Retrieved June 8, 2011, from <http://ephtracking.cdc.gov>

*National Survey of Children's Health.* (2007). Retrieved June 3, 2011, from <http://www.nschdata.org/StateProfiles/CustomProfile07.aspx?rid=5&geo=Colorado&nationwide>

*Omni Institute.* Retrieved May 2011, from <http://clientportal.omni.org/aspire/Pages/quickqueries.aspx>

*Pregnancy Risk Assessment Monitoring System.* (2009). Retrieved June 9, 2011, from <http://www.cdphe.state.co.us/cohid/pramsdata.html>

*Reported Foodborne Outbreaks in Colorado.* (2009). Retrieved May 2011, from [http://www.cdphe.state.co.us/dc/Epidemiology/outbreak\\_summary.pdf](http://www.cdphe.state.co.us/dc/Epidemiology/outbreak_summary.pdf)

*Secretary of State (2010).* Retrieved June 16, 2011, from <http://www.sos.state.co.us/pubs/elections/VoterRegNumbers/2010VoterRegNumbers.html>

*The Annie E. Casey Foundation.* (2009). Retrieved June 3, 2011, from <http://datacenter.kidscount.org/data/bystate/stateprofile.aspx?state=CO&cat=269&group=Category&loc=1253&dt=1%2c3%2c2%2c4>

*Tuberculosis in Colorado: 2000 – 2009 Cases by County and Year of Report.* (2000-2009). Retrieved May 2011, from <http://www.cdphe.state.co.us/dc/tb/Stats/Cases%20by%20County.pdf>

*Untreated Decay.* (2010). Retrieved May, 2011 from <http://www.cdphe.state.co.us/ps/mch/mchadmin/mchdatasets2010/Dental%20Untreated%20Decay%20map%20and%20list%20for%202010%20Rel.pdf>

*US Census Bureau American FactFinder.* (2009). Retrieved June 3, 2011, from [http://factfinder.census.gov/servlet/ADPTable?\\_bm=y&-context=adp&](http://factfinder.census.gov/servlet/ADPTable?_bm=y&-context=adp&)

*US Census Bureau.* (2008). Retrieved May 2011, from <http://censtats.census.gov/cgi-bin/msanaic/msadetl.pl>

*US Environmental Protection Agency Air Data.* (2007). Retrieved May 2001, from <http://www.epa.gov/air/data/>

*Year 2010 Health Objectives for the Nation: County Summary of Colorado BRFSS 2008.* (2010) Retrieved May 2011, from <http://www.cdphe.state.co.us/hs/brfss/HPMesa08.pdf>

*Year 2010 Health Objectives for the Nation: County Summary of Colorado BRFSS 2010.* (2010) Retrieved May 2011, from <http://www.cdphe.state.co.us/hs/brfss/HPMesa09.pdf>

*Year 2010 Health Objectives for the Nation: State Summary of Colorado BRFSS 2008.* (2010) Retrieved May 2011, from <http://www.cdphe.state.co.us/hs/brfss/HPC008.pdf>

*Year 2010 Health Objectives for the Nation: State Summary of Colorado BRFSS 2010.* (2010) Retrieved May 2011, from <http://www.cdphe.state.co.us/hs/brfss/HPC009.pdf>

### **Other Important References**

*County Health Rankings.* (2011). Retrieved June 2011, from <http://www.countyhealthrankings.org/colorado/mesa>

*Community Health Status Indicators.* (2009). Retrieved June 2011, from <http://communityhealth.hhs.gov/homepage.aspx?j=1>

MESA COUNTY  
HEALTH DEPARTMENT